

SAFETY DATA SHEET

Bodedex forte

Version 1.9 Revision Date: 24.01.2020 SDS Number: R11214 Date of last issue: 03.05.2019
Date of first issue: 01.07.2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Bodedex forte

Product code : R11214

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH
Melanchthonstraße 27
22525 Hamburg
Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs
kundenservice-SIDA@bode-chemie.de

Emergency telephone number : Giftnotruf Göttingen
24h-Phone +49 (0)551 / 1 92 40

Recommended use of the chemical and restrictions on use

Recommended use : In-door use
Cleansing agents, alkaline.
For further information, refer to the product technical data sheet.

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Bodedex forte**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Tridecanol, branched, ethoxylated	69011-36-5	>= 3 - < 10
Alcohols, C12-14. ethoxylated	68439-50-9	>= 3 - < 10
[[[(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid	Not Assigned	>= 3 - < 10
Quaternary ammonium compounds, [2-[[2-[(2-carboxyethyl)(2-hydroxyethyl)amino]ethyl]amino]-2-oxoethyl]coco alkyl dimethyl, hydroxides,	100085-64-1	>= 1 - < 2,5
N-(2-Ethylhexyl)isononan-1-amid	93820-33-8	>= 0,25 - < 1

4. FIRST AID MEASURES

If inhaled : Remove to fresh air.

In case of skin contact : Wash off with soap and water.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed : Do NOT induce vomiting.
Rinse mouth.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.

Environmental precautions : Should not be released into the environment.

Methods and materials for containment and cleaning : Soak up with inert absorbent material (e.g. sand, silica gel, acid

SAFETY DATA SHEET

Bodedex forte

tainment and cleaning up : binder, universal binder, sawdust).
Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Advice on safe handling : Prepare the working solution as given on the label(s) and/or the user instructions.
Conditions for safe storage : Store at room temperature in the original container.
Materials to avoid : Keep away from food and drink.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Hand protection

Nitrile rubber

Material : Protective gloves complying with EN 374.
Break through time : > 480 min
Glove thickness : 0,1 mm
Protective index : Class 6
: Peha-soft nitrile guard

Remarks : Nitrile rubber

Eye protection : Tightly fitting safety goggles

Hygiene measures : Avoid contact with eyes.
Do not get on skin.
Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : light yellow
Odour : mild
pH : 8 (20 °C)
Melting point/range : not determined
Boiling point/boiling range : 100 °C
Flash point : Not applicable
Flammability (solid, gas) : not auto-flammable
Density : 1,05 g/cm³ (20 °C)
Solubility(ies)
Water solubility : completely miscible

Bodedex forte**10. STABILITY AND REACTIVITY**

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	None reasonably foreseeable.
Conditions to avoid	:	Heat Strong sunlight for prolonged periods.

11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

Components:**Tridecanol, branched, ethoxylated (CAS: 69011-36-5):**

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: Expert judgement
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg Method: Expert judgement

Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):

Acute oral toxicity	:	LD50 Oral (Rat): 2.000 mg/kg
---------------------	---	------------------------------

[[2-hydroxyethyl]imino]bis(methylene)]bisphosphonic acid:

Acute oral toxicity	:	LD50 Oral (Rat): 250 mg/kg
---------------------	---	----------------------------

Skin corrosion/irritation**Components:****Tridecanol, branched, ethoxylated (CAS: 69011-36-5):**

Species	:	Rabbit
Result	:	No skin irritation

[[2-hydroxyethyl]imino]bis(methylene)]bisphosphonic acid:

Result	:	Irritating to skin.
--------	---	---------------------

Quaternary ammonium compounds, [2-[[2-[(2-carboxyethyl)(2-hydroxyethyl)amino]ethyl]amino]-2-oxoethyl]coco alkyldimethyl, hydroxides, (CAS: 100085-64-1):

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Bodedex forte**Serious eye damage/eye irritation****Components:****Tridecanol, branched, ethoxylated (CAS: 69011-36-5):**

Species : Rabbit
Method : OECD Test Guideline 437
Result : Risk of serious damage to eyes.

Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):

Result : Risk of serious damage to eyes.

[[2-(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid:

Species : Rabbit
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Quaternary ammonium compounds, [2-[[2-[(2-carboxyethyl)(2-hydroxyethyl)amino]ethyl]amino]-2-oxoethyl]coco alkyldimethyl, hydroxides, (CAS: 100085-64-1):

Species : Rabbit
Assessment : Irritating to eyes.
Method : OECD Test Guideline 405
Result : Eye irritation

Respiratory or skin sensitisation**Components:****Tridecanol, branched, ethoxylated (CAS: 69011-36-5):**

Test Type : Maximisation Test
Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

[[2-(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

No data available

Aspiration toxicity

No data available

Bodedex forte**Experience with human exposure**

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Tridecanol, branched, ethoxylated (CAS: 69011-36-5):**

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodemus subspicatus (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : IC50 (Pseudomonas putida): > 1.000 mg/l
Exposure time: 16 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):

- Toxicity to fish : LC50 (Fish): > 1 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : IC50 (Scenedesmus capricornutum (fresh water algae)): > 1 mg/l
Exposure time: 72 h

NOEC (Scenedesmus capricornutum (fresh water algae)): 0,14 mg/l

[[2-(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid:

- Toxicity to fish : LC50 (Fish): > 100 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 50 mg/l
Exposure time: 48 h

Quaternary ammonium compounds, [2-[[2-[(2-carboxyethyl)(2-hydroxyethyl)amino]ethyl]amino]-2-oxoethyl]coco alkyl dimethyl, hydroxides, (CAS: 100085-64-1):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7,5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

SAFETY DATA SHEET

Bodedex forte

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,2 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 0,075 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

N-(2-Ethylhexyl)isononan-1-amid (CAS: 93820-33-8):

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,475 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodemus subspicatus (green algae)): 0,962 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,028 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability

Product:

- Biodegradability : Remarks: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Components:

[[[(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid:

- Biodegradability : Biodegradation: > 70 %
Method: OECD Test Guideline 302B

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
- Contaminated packaging : Empty remaining contents.

SAFETY DATA SHEET

Bodedex forte

Store containers and offer for recycling of material when in accordance with the local regulations.

14. TRANSPORT INFORMATION

ADR

Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture**Labelling**

Symbol(s) : Xi

Risk phrase(s) : R41 Risk of serious damage to eyes.

Safety phrase(s) : S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S39 Wear eye/face protection.
S60 This material and its container must be disposed of as hazardous waste.

International Regulations

16. OTHER INFORMATION

Safety datasheet sections which have been updated:


- 2. Hazards identification
- 13. Disposal considerations

Further information

SAFETY DATA SHEET

Bodedex forte

NFPA:



HMIS® IV:

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; Ems - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN