300555

Temp Bond Base

15/11/2017 Version: 5.0



Safety Data Sheet Temp Bond Base

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

: Temp Bond Base

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category

Use of the substance/mixture

- : Professional use
- : Preparation intended for dental medical use

Manufacturer

Kerr Italia S.r.l. Via Passanti, 332

84018 Scafati (SA) - Italy

T +39-081-850-8311

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier KERRHAWE S.A. Via Strecce n°4 6934 Bioggio (Switzerland) T 00-800-41-050-505

Contact person : safety@kerrhawe.com - tel. 00-800-41-050-505 (08.00-17.00)

1.4. Emergency telephone number

Emergency number

: CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only) 001-800-424-9300 International and Maritime Telephone Number +1 (703) 527-3887

Country	Organisation/Company	Address	Emergency number
Gibraltar	GHA Call Centre Zone 2, Level3, St Bernard's Hospital	Harbour Views Road	+350 200 79700 +350 200 72266
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182/+44 191 2606180 24H

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Acute 1	H400
Aguatic Chronic 1	H410

Full text of H statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) :

GHS09

Signal word (CLP)

: Warning

15/11/2017	1
------------	---

300555	Temp Bond Base	15/11/2017
Hazard statements (CLP)	: H410 - Very toxic to aquatic life with long lasting effects.	
Precautionary statements (CLP)	 P273 - Avoid release to the environment. P391 - Collect spillage. P501 - Dispose of contents/container to hazardous or special waste colle accordance with local, regional, national and/or international regulation. 	ction point, in
Extra phrases	 The product is seen as a medical device and therefore not subject to laber regulation 1272/2008, article 1, paragraph 5d). A safety data sheet is not required for this product under Article 31 of RE. Safety Information Sheet has been created on a voluntary basis 	0
2.3. Other hazards		

Other hazards not contributing to the classification

: None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
zinc oxide	(CAS-No.) 1314-13-2 (EC-No.) 215-222-5 (EC Index-No.) 030-013-00-7 (REACH-no) 01-2119463881-32	50 - 100	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
White mineral oil (petroleum)	(CAS-No.) 8042-47-5 (EC-No.) 232-455-8 (REACH-no) 01-2119487078-27	< 10	Asp. Tox. 1, H304

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES		
4.1. Description of first aid measures		
First-aid measures general	: No particular/specific measures required.	
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. 	
First-aid measures after skin contact	: Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.	
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.	
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Call a POISON CENTER/doctor if you feel unwell.	
4.2. Most important symptoms and effect	ts, both acute and delayed	
Symptoms/effects	: In all cases of doubt, or when symptoms persist, seek medical attention.	
4.3. Indication of any immediate medical attention and special treatment needed No specific measures identified.		
SECTION 5: FIREFIGHTING MEASURES		
5.1. Extinguishing media		
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Foam, carbon dioxide (CO2) and powder.	

5.2. Special hazards arising from the substance or mixture	
Fire hazard	: Non flammable.
Explosion hazard	: Product is not explosive.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). metallic oxide.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper personal protective equipment, including respiratory protection.

15/11/2017

S	SECTION 6: ACCIDENTAL RELEASE MEASURES			
6	6.1. Personal precautions, protective equipment and emergency procedures			
Ģ	General measures	: Avoid contact with skin and eyes. Concerning personal protective equipment to section 8.) use, see	
F	For non-emergency personnel			
Ν	No additional information available			
F	For emergency responders			
N	No additional information available			

Temp Bond Base

6.2. Environmental precautions

Discharging into rivers and drains is forbidden. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment

300555

: Collect all waste in suitable and labelled containers and dispose according to local legislation.

6.4. Reference to other sections

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

SECTION 7: HANDLING AND STORAGE		
7.1. Precautions for safe handling		
Precautions for safe handling	: Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes.	
Hygiene measures	: Wash hands thoroughly after handling. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, in	cluding any incompatibilities	
Storage conditions	: Store in a dry place. Store in a closed container. Store in original container.	
Incompatible materials	: Keep away from food, drink and animal feeding stuffs. Keep away from heat and direct sunlight.	
Storage area	: Store in a well-ventilated place.	
7.3 Specific and use(s)		

7.3. Specific end use(s)

No additional information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

zinc oxide (1314-13-2)		
EU	Local name	Zinc oxide
EU	Notes	SCOEL Recommendations (Ongoing)
Ireland	Local name	Zinc oxide, fume
Ireland	OEL (8 hours ref) (mg/m ³)	2 mg/m ³
Ireland	OEL (15 min ref) (mg/m3)	10 mg/m³
White mineral oil (petroleum) (8042-47-5)		
EU	Local name	Mineral oils (AHRMO)
EU	IOELV TWA (mg/m ³)	5 mg/m³ (inhalable)
EU	Notes	(Year of adoption 2010)
Ireland	Local name	Mineral oil Pure, Highly & Severely Refined (Inhalable)
Ireland	OEL (8 hours ref) (ppm)	5 ppm

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

- : Ensure good ventilation of the work station.
- : Gloves. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment. Avoid all unnecessary exposure.

300555	Temp Bond Base	15/11/2017
Hand protection	: Wear suitable gloves. Nitrile rubber gloves. Layer thickness : 0,09mm. Brea >480 min. STANDARD EN 374.	kthrough time :
Eye protection	: Use splash goggles when eye contact due to splashing is possible. STAND	ARD EN 166.
Skin and body protection	: Wear suitable protective clothing	
Respiratory protection	: No special protection required where adequate ventilation is maintained.	
, m		



Other information

: Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: PHYSICAL AND CHEM	AICAL PROPERTIES
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: Paste.
Colour	: white.
Odour	: odourless.
Odour threshold	: Not determined
рН	: Not determined
Relative evaporation rate (butylacetate=1)	: Not determined
Melting point	: Not determined
Freezing point	: Not determined
Boiling point	: Not determined
Flash point	: Not determined
Auto-ignition temperature	: Not determined
Decomposition temperature	: Not determined
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: Not determined
Relative vapour density at 20 °C	: Not determined
Relative density	: >1
Solubility	: insoluble in water.
Log Pow	: Not determined
Viscosity, kinematic	: Not determined
Viscosity, dynamic	: Not determined
Explosive properties	: Product is not explosive.
Oxidising properties	: Non flammable.
Explosive limits	: Not determined
9.2. Other information	
Additional information	: None to our knowledge.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat and direct sunlight.

10.5. Incompatible materials

No information.

10.6. Hazardous decomposition products

No decomposition if stored and used normally.

300555	Temp Bond Base	15/11/201
SECTION 11: TOXICOLOGICAL		
11.1. Information on toxicological e		
Acute toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
zinc oxide (1314-13-2)		
LD50 oral rat	> 15000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	5.7 mg/l/4h	
White mineral oil (petroleum) (8042-47	'-5)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 5000 mg/l/4h	
Skin corrosion/irritation	: Not classified	
	Based on available data, the classification criteria are not met	
	pH: Not determined	
Serious eye damage/irritation	Not classified	
	Based on available data, the classification criteria are not met	
	pH: Not determined	
Respiratory or skin sensitisation	Not classified	
	Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
0	Based on available data, the classification criteria are not met	
Carcinogenicity	Not classified	
0,	Based on available data, the classification criteria are not met	
Reproductive toxicity	Not classified	
	Based on available data, the classification criteria are not met	
STOT-single exposure	: Not classified	
	Based on available data, the classification criteria are not met	
STOT-repeated exposure	: Not classified	
	Based on available data, the classification criteria are not met	
Appiration bazard	: Not classified	
Aspiration hazard		
	Based on available data, the classification criteria are not met	

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecology - water : Very toxic to aquatic life with long lasting effects.			
zinc oxide (1314-13-2)			
LC50 fish 1	1.1 mg/l (96 hours - Rainbow trout)		
EC50 Daphnia 1	98 μg/l (48 hours - Daphnia magna)		
NOEC (chronic)	0.017 mg/l 72 hours - Pseudokirchnerella subcapitata		
White mineral oil (petroleum) (8042-47-5)			
LC50 fish 1	> 100 mg/l (OECD 203 method)		
EC50 Daphnia 1	> 100 mg/l (OECD 202 method)		

12.2. Persistence and degradability

Temp Bond Base			
Persistence and degradability May cause long-term adverse effects in the environment.			
12.3. Bioaccumulative potential			
Temp Bond Base			
Log Pow	Not determined		
Bioaccumulative potential	Not established.		
zinc oxide (1314-13-2)			
Bioconcentration factor (BCF REACH)	60960		

according to Regulation (EC) No. 1907/2006 (REACH) w	in its amendment Regulation (EO) 2015/850	
300555	Temp Bond Base	15/11/2017
12.4. Mobility in soil		
Temp Bond Base		
Ecology - soil	insoluble in water.	
12.5. Results of PBT and vPvB assessmen	t	
Temp Bond Base		
This substance/mixture does not meet the PBT	criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB	criteria of REACH regulation, annex XIII	
12.6. Other adverse effects		
Other adverse effects	: None to our knowledge.	
Additional information	: Avoid release to the environment.	
SECTION 13: DISPOSAL CONSIDERA	ATIONS	
13.1. Waste treatment methods		
Regional legislation (waste)	: Dispose as hazardous waste.	
Waste treatment methods	: Do not discharge into drains.	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose contents/container to hazardous or special waste collection point, in accordance regional, national and/or international regulation.	
Ecology - waste materials	: Avoid release to the environment.	
European List of Waste (LoW) code	: 18 01 06* - chemicals consisting of or containing dangerous substances	

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number		•		
3077	3077	3077	3077	3077
14.2. UN proper shipp	ing name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALL Y HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Transport document desc			-	
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide), 9, III, MARINE POLLUTANT			
14.3. Transport hazard	l class(es)			
9	9	9	9	9
14.4. Packing group				
		111		
14.5. Environmental has Dangerous for the	azards Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : Yes	environment : Yes Marine pollutant : Yes	environment : Yes	environment : Yes	environment : Yes
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Special provisions (ADR)	
Limited quantities (ADR)	

: 274, 335, 375, 601

: 5kg

Excepted quantities (ADR)	: E1
Hazard identification number (Kemler No.)	: 90
Orange plates	90 3077
EAC code	: 2Z
- Transport by sea	
Special provisions (IMDG)	: 274, 335, 966, 967, 969
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
Special provisions (IATA)	: A97, A158, A179, A197

Temp Bond Base

Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

300555

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

: 28/08/2015

: 15/11/2017

SECTION 16: OTHER INFORMATION

Indication of changes:

ndication of changes:		
2.2	Precautionary statements (CLP)	Modified
3.2	Composition/informatio n on ingredients	Modified
4.2	Symptoms/effects	Modified
5.2	Hazardous decomposition products in case of fire	Added
6.1	Protective equipment	Removed
6.1	General measures	Modified
7.1	Precautions for safe handling	Modified
7.2	Incompatible materials	Modified
7.2	Incompatible products	Removed
8.2	Hand protection	Modified
12.2	Persistence and degradability	Modified
13.1	Waste disposal recommendations	Modified
Date of issue	: 05/12/2008	
Revision date	: 15/11/2017	

Date of total revision

Supersedes

300555	Temp Bond Base	15/11/2017	
Version	: 5.0		
Signature	: A. Åsebø Murel		
Full text of H- and EUH-statements:			
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Asp. Tox. 1	Aspiration hazard, Category 1		
H304	May be fatal if swallowed and enters airways.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.