



according to Regulation (EC) No 1907/2006

help:ex plaque f 6700 0100

Revision date: 13.03.2021 Product code: 67000100 Page 1 of 7

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

help:ex plaque f 6700 0100

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Ready-for-use acid-based cleaning agent for easy removal of stubborn deposits such as plaque, tartar and denture adhesive from removable dental restorations.

## Uses advised against

No information available.

# 1.3. Details of the supplier of the safety data sheet

Company name: Renfert GmbH
Street: Untere Giesswiesen 2
Place: D-78247 Hilzingen
Telephone: +49 7731 8208-0

Felephone: +49 7731 8208-0 Telefax: +49 7731 8208-70

e-mail: info@renfert.com
Contact person: Frau Andris

e-mail: silke.andris@renfert.com

Internet: www.renfert.com

1.4. Emergency telephone number: GB: 0044 151 951 3317 (Health and Safety Executive (HSE) Chemicals) | USA:

800-222-1222 (National Poison Control number) | CA: British Columbia: 800-567-8911 or 604-682-5050 Alberta: 1-800-332-1414 or 944-1414 Saskatchewan: 1-866-454-1212 Manitoba: 1-855-776-4766 Ontario: 1-800-268-9017 Quebec: 1-800-463-5060 New Brunswick: 911 New Foundland: 1-866-727-1110 Northwest Territories: 1-800-332-1414 Nova Scotia: 1-800-565-8161 | AU: 13 11 26 | ZA: 021 938 6084 (Office Hours) or 021

931 6129 (24 Hours)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

#### Hazard components for labelling

methanesulphonic acid hydrochloric acid

Signal word: Danger

Pictograms:

# **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

## **Precautionary statements**

P280 Wear protective gloves and eye/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P390 Absorb spillage to prevent material damage.

## Additional advice on labelling

The classification is based on the pH value (EC regulation No. 1272/2008).





according to Regulation (EC) No 1907/2006

help:ex plaque f 6700 0100

Revision date: 13.03.2021 Product code: 67000100 Page 2 of 7

# 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### Chemical characterization

Cleaning agent, acidic

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
75-75-2	methanesulphonic acid					
	200-898-6	607-145-00-4	01-2119491166-34			
	Met. Corr. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H312 H302 H314 H318 H335					
7647-01-0	hydrochloric acid					
	231-595-7		01-2119484862-27			
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335					
112-34-5	2-(2-butoxyethoxy)ethanol					
	203-961-6	603-096-00-8	01-2119475104-44			
	Eye Irrit. 2; H319					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Lin	mits, M-factors and ATE	
75-75-2	200-898-6	methanesulphonic acid	< 5 % %
	dermal: LD50 = >	l: LD50 = > 1000 mg/kg; oral: LD50 = 1157,5 mg/kg	
7647-01-0	231-595-7 hydrochloric acid		< 10 % %
	Skin Corr. 1A; H3 <sup>-</sup> SE 3; H335: >= 10	14: >= 25 - 100 Skin Corr. 1B; H314: >= 10 - < 25 Eye Dam. 1; H318: >= 1 - 100 STOT	

# Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

Take off immediately all contaminated clothing and wash it before reuse.

# After inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

# After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

## After ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.





according to Regulation (EC) No 1907/2006

help:ex plague f 6700 0100

Revision date: 13.03.2021 Product code: 67000100 Page 3 of 7

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Do not inhale explosion and combustion gases

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General measures

Use personal protection equipment.

Provide adequate ventilation.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Advice on safe handling

Handle and open container with care.

Wear personal protection equipment (refer to section 8).

Avoid contact with eyes and skin.

When using do not eat, drink or smoke.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Keep container tightly closed.

## Hints on joint storage

Do not store together with: Alkali (lye)

## Further information on storage conditions

Keep away from food, drink and animal feedingstuffs.

#### 7.3. Specific end use(s)

Please refer to our internet website for more information: www.renfert.com

To avoid risks to man and the environment, comply with the instructions for use.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

## 8.2. Exposure controls

## Appropriate engineering controls

Safe handling: see section 7

# Protective and hygiene measures

Remove contaminated, saturated clothing immediately.

Wash hands before breaks and after work.

Avoid contact with eyes and skin.

Keep away from food, drink and animal feedingstuffs.





according to Regulation (EC) No 1907/2006

help:ex plague f 6700 0100

Revision date: 13.03.2021 Product code: 67000100 Page 4 of 7

## Eye/face protection

Wear eye/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: Butyl caoutchouc (butyl rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber),

FKM (fluoro rubber)

Thickness of the glove material: 0,5 mm

Breakthrough time: >= 8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

#### Respiratory protection

Provide adequate ventilation.

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic

pH-Value (at 20 °C):

## Changes in the physical state

Melting point: not determined
Boiling point or initial boiling point and boiling > 100 °C

range:

Flash point: not applicable

# Flammability

Solid/liquid: not applicable
Gas: not applicable

# **Explosive properties**

not explosive.

Lower explosion limits:

Upper explosion limits:

Auto-ignition temperature:

not determined
not determined

Self-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined
Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 1,02 - 1,06 g/cm³
Water solubility: completely miscible
Partition coefficient n-octanol/water: not determined
Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Relative vapour density: not determined
Evaporation rate: not determined

## 9.2. Other information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.



according to Regulation (EC) No 1907/2006

help:ex plague f 6700 0100

Revision date: 13.03.2021 Product code: 67000100 Page 5 of 7

## 10.3. Possibility of hazardous reactions

Violent reaction with: Alkali (lye)

Corrosive to metals

# 10.4. Conditions to avoid

No special measures are necessary.

# 10.5. Incompatible materials

Violent reaction with: Alkali (lye)

Corrosive to metals

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name					
	Exposure route	Dose		Species	Source	Method	
75-75-2	methanesulphonic acid	methanesulphonic acid					
	oral	LD50 mg/kg	1157,5	Rat		OECD 401	
	dermal	LD50 mg/kg	> 1000	Rabbit		OECD 402	

# Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## **Further information**

The product has not been tested. The statement is derived from the properties of the single components.

To avoid risks to man and the environment, comply with the instructions for use

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

#### 12.2. Persistence and degradability

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
112-34-5	2-(2-butoxyethoxy)ethanol			
	OECD 301C 76 % 28			

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.





according to Regulation (EC) No 1907/2006

help:ex plague f 6700 0100

Revision date: 13.03.2021 Product code: 67000100 Page 6 of 7

#### 12.7. Other adverse effects

No information available.

#### **Further information**

The product has not been tested. The statement is derived from the properties of the single components. Do not allow uncontrolled discharge of product into the environment.

To avoid risks to man and the environment, comply with the instructions for use.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal recommendations

hazardous waste: Dispose of waste according to applicable legislation.

Consult the appropriate local waste disposal expert about waste disposal.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Methansulfonsäure und Salzsäure Mischung)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



## Marine transport (IMDG)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Alkylsulphonic acid and hydrochloric acid mixture)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



## Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u> UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Alkylsulphonic acid and hydrochloric acid mixture)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

Further information: see section 6, 7, 8

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information





according to Regulation (EC) No 1907/2006

help:ex plaque f 6700 0100

Revision date: 13.03.2021 Product code: 67000100 Page 7 of 7

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55

2010/75/EU (VOC): not applicable

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work

protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

REGULATION (EC) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on substances that

deplete the ozone layer: not applicable

REGULATION (EU) 2019/1021 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on persistent organic

pollutants

: not applicable

REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and

import of hazardous chemicals: not applicable

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

CAS: Chemical Abstracts Service (division of the American Chemical Society)

ATE: Acute Toxicity Estimates LD50: lethal dose, 50%

LC50: lethal concentration, 50%

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement concernant le transport international ferroviaire de marchandises Dangereuses (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

VOC: volatile organic compound(s)

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

# Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Restricted to professional users.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)